L Number	Hits		DB	Time stamp
_	6	"5595672"	USPAT; US-PGPUB; EPO; JPO;	2003/01/14 14:03
-	3	"5861985"	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14
-	123310	microscope	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/14
-	11597	sensing with switch\$3 and predetermin\$2 with time	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 15:41
_	33	microscope and (sensing with switch\$3 and predetermin\$2 with time)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/14
-	2657822	detect\$3 or sens\$3 and inactivit\$3 with switch\$3	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 15:41
-	48622	microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 15:43
-	3131	(microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14
-	977	359/368.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/14 16:38
-	33	((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and 359/368.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 16:01
-	3002	((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 16:01
_	32	(((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and 359/368.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 16:38
-	120	359/371.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/14 16:40

Search History 1/15/03 9:13:40 AM Page 1

		•			
-	5	inactivit\$3 with switch\$3)) and	US-PGPUB;	2003/01/14 16:40	
		predetermin\$2 with time) and @ad<=20020106) and 359/371.ccls.	EPO; JPO; DERWENT; IBM TDB		
-	131	359/379.ccls.	USPAT; US-PGPUB;	2003/01/14	
			EPO; JPO; DERWENT;		
-	. 0	(((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and 359/379.ccls.	US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 16:40	
_	122	359/382.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 16:42	
-	2	(((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and 359/382.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 16:42	
-	634	359/385.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 17:10	
-	11	(((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and 359/385.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 16:46	
-	106637	359/\$7.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/14 16:46	
_	139	(((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and 359/\$7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/14	
_	425831	sen\$3 with switch\$3 or (detect\$3 with switch\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/14 16:49	
_	448	(((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3 or (detect\$3 with switch\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 17:11	
_	0	"1149" and (((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3 or (detect\$3 with switch\$3))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 16:50	
_	0	"1149" and 1152	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/14 16:50	
	35	359/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3 or (detect\$3 with switch\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/14 16:57	

Search History

1/15/03 9:13:40 AM

Page 2

1					
Predetermin32 with time) and   BPO, JPO,   Bede<-20020106 and (sens3 with switch3]   DRWBMT;   IBM TDB   DRWBMT;   IBM TDB   DRWBMT;	_	56			2003/01/14
dead=20020106  and (sens3 with switch3]   DERWENT;   Getect53 or sens33   and inactivit23 with switch31) and predetermin32 with time;   DERWENT;   Getect3 or sens33				I .	16:56
Or (detect33 with switch33)) and auto510					
S299			(sens) with switchs	1	i
and inactivit(s) with time) and predetermin(s) with switch(s) or (detect(s) with switch(s)) and (detect(s) with switch(s))   DERMEN(s)					0000/01/14
Predetermin\$2 with time   and   @ad<20020106   and (sen\$3 with switch\$3   or (detect\$3 with switch\$3))   and   automatic\$6	-	329		1	1
Gad=20020106) and (sen\$3 with switch\$3   DERWENT; or (detect\$3 with switch\$3)) and automatic\$6   36 35973.ccls. and (((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)] and automatic\$6   USPAT; uS-PGPUB; EPO; JPO; DERWENT; switch\$3 or detect\$3 with switch\$3)] uSPAT; uS-PGPUB; EPO; JPO; DERWENT; switch\$3 or sens\$3 and inactivit\$3 with switch\$3)] and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)] uSPAT; uS-PGPUB; EPO; JPO; DERWENT; switch\$3 or (detect\$3 with switch\$3)] uSPAT; uS-PGPUB; EPO; JPO; DERWENT; switch\$3 or (detect\$3 with switch\$3)] uSPAT; uS-PGPUB; EPO; JPO; DERWENT; lBM TDB uSPAT; uS-PGPUB; ePO; JPO; JPO; DERWENT; lBM TDB uSPAT; uS-P				1	16:56
or (detects3 with switch33)) and automatic56 359/\$7.ccls. and ((((((microscope and (detects3) or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and dead=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and de				1	!
automatics6  16 35/87.ccls. and ((((microscope and (detects3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and automatic\$6)  111 315/125.ccls.  111 315/125.ccls. and (((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad=2				1	1
16   359/87.ccls. and (((((((((((((((((((((((((((((((((((				IBM_TDB	
(detect\$3 or sens\$3 and inactivit\$3 with time) and @ad<=20020106) and (sen\$3 with time) and dad<=20020106) and (sen\$3 with switch\$3)) and automatic\$6)   USPAT; US-PCPUB; EPO; JPO; DERWENT; IBM TDB					
Switch\$3] and predetermin\$2 with time   and @ad<=002010f6) and (sen\$3 with switch\$3))   and automatic\$6]   315/125.ccls.   315/126.ccls.   3	-	16			
and @ad<=20020106) and (sen33 with switch33)) and automatics6)  315/125.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3))) and predetermin\$2 with time) and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3) and predetermin\$2 with time) and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3 or (detect\$3 with switch\$3)))  315/126.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and ada<=20020106) and (sens3 with switch\$3))  1583  315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3) and predetermin\$2 with time) and ada<=20020106) and (sens3 with switch\$3))  315/307.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and ada<=20020106 and (sens3 with switch\$3))  1575  315/307.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and ada<=20020106) and (sens3 with switch\$3))  315/57.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and ada<=20020106 and (sens3 with switch\$3))  315/57.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and ada<=20020106 and (sens3 with switch\$3))  315/57.ccls. and (((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and ada<=20020106 and (sens3 with switch\$3))  315/57.ccls. and (((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and ada<=20020106 and (sens3 with switch\$3))  4					16:57
Switch33 or (detect\$3 with switch\$3))   IBM_TDB   USPAT; USPAT; USPACPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; USPACPUB; EPO; JPO; DERWENT; IBM_TDB   USPACPUB; EPO; JPO; DER					1
and automatic\$6) 315/125.ccls.  0 315/125.ccls. and (((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3)))  98 315/126.ccls. and (((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)))  - 0 315/126.ccls. and (((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3))) BRWENT; IBM_TDB USPAT; US-PGPUB; EPG, JPG, JPG, DERWENT; IBM_TDB USPAT; US-PGPUB; EPG, JPG, JPG, DERWENT; IBM_TDB USPAT; US-PGPUB; EPG, JPG, JPG, JPG, JPG, JPG, JPG, JPG, J			and @ad<=20020106) and (sen\$3 with	DERWENT;	
111   315/125.ccls.   USPAT;   US-PGPUB;   EPO; JPO; DERWENT;   US-PGPUB;   US-PAT;   US-PGPUB;			switch\$3 or (detect\$3 with switch\$3)))	IBM_TDB	
0   315/125.ccls. and (((microscope and (detect33 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and \$ad<-20020106) and (sens3 with US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USP			and automatic\$6)	İ	
- 0 315/125.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and ead=20020106) and (sen\$3 with switch\$3)) 315/126.ccls.  - 0 315/126.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) 315/126.ccls. and ((((microscope and (detect\$3 or detect\$3 with switch\$3))) 315/126.ccls. and ((((microscope and (detect\$3 or detect\$3 with switch\$3))) 315/291.ccls. and ((((microscope and (detect\$3 or detect\$3 with switch\$3))) 315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) 315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) 315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) 315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) 315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) 315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 with switch\$3))) 315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3))) 315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3))) 315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) 315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3))) 315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3))) 315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with span and sens\$3 with switch\$3))) 315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with span and sens\$3 with switch\$3))) 315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with span and sens\$3 with switch\$3)) 315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with span and sens\$3 wi	-	111	315/125.ccls.	USPAT;	2003/01/14
- 0 315/125.ccls. and (((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with Switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with Switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3 with switc				US-PGPUB;	17:11
0   315/125.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and dad<=20020106) and (sen\$3 with switch\$3))   1BM TDB (USPAT; US-PGPUB; EPO, JPO; DERWENT; IBM TDB (USPAT; US-PGPUB; EPO, JPO; DERWENT; EP				EPO; JPO;	i i
0   315/125.ccls. and ((((microscope and (detects) or sens) and inactivits) with switch(3)) and predetermin(2) with time) and (ded<-20020106) and (sen\$3 with switch(3)))   18M TDB (USPAT)				DERWENT;	ŀ
0   315/125.ccls. and ((((microscope and (detects) or sens) and inactivits) with switch(3)) and predetermin(2) with time) and (ded<-20020106) and (sen\$3 with switch(3)))   18M TDB (USPAT)				I .	
(detect\$3 or sens\$3 and inactivit\$3 with switch\$3) and predetermin\$2 with time and @ad<=20020106) and (sen\$3 with switch\$3))   DERWENT; IBM_TDB syltch\$3 or (detect\$3 with switch\$3))   DERWENT; IBM_TDB switch\$3) and predetermin\$2 with time and @ad<=20020106) and (sen\$3 with switch\$3))   DERWENT; IBM_TDB switch\$3) and predetermin\$2 with time and @ad<=20020106) and (sen\$3 with switch\$3))   DERWENT; IBM_TDB switch\$3) or (detect\$3 with switch\$3))   DERWENT; IBM_TDB switch\$3) and predetermin\$2 with time and @ad<=20020106) and (sen\$3 with switch\$3))   DERWENT; IBM_TDB switch\$3) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3))   DERWENT; IBM_TDB switch\$3) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3))   DERWENT; IBM_TDB switch\$3)   DERWENT; IBM_TDB switch\$30   DERWENT;	_	0	315/125.ccls. and (((microscope and		2003/01/14
Switch\$3) and predetermin\$2 with time  and @ad<=20020106) and (sen\$3 with switch\$3))   DERWENT; switch\$3 or (detect\$3 with switch\$3))   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)   and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3))   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)   and predetermin\$2 with time)   EPO; JPO; DERWENT; IBM_TDB (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)]   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB (detect\$3 or sens\$3 and inactivit\$3 with switch\$3))   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB (Sensent)   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB (USPAT; US-PGPU				US-PGPUB;	
and @ad<=20020106) and (sen\$3 with switch\$3))  switch\$3 or (detect\$3 with switch\$3)))  315/126.ccls.  0 315/126.ccls. and (((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3)))  1583 315/291.ccls.  3 315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3)))  3 315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3)))  1575 3 315/307.ccls.  1 3 315/307.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3))) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3)))  1 3 3 3 3 3 3 3 3 5 7 3 3 5 7 3 3 5 7 3 3 5 7 3 3 3 5 7 3 3 3 5 7 3 3 5 7 3 3 3 5 7 3 3 3 5 7 3 3 5 7 3 3 5 7 3 3 5 7 3 3 5 7 3 3 5 7 3 3 5 7 3 3 5 7 3 3 5 7 3 3 5 7 3 3 5 7 3 3 5 7 3 3 5 7 3 3 5 7 3 3 5 7 3 3 5 7 3 3 3 5 7 3 3 3 5 7 3 3 3 3				1	
Switch\$3 or (detect\$3 with switch\$3))					
- 0 315/126.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3)))  - 1583 315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3))) 315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3))  - 1575 315/307.ccls. and ((((microscope and (detect\$3 or sens\$3 with switch\$3))) 315/307.ccls. and ((((microscope and (detect\$3 or sens\$3 with switch\$3))) 315/307.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3)) 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3)) 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3))) 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3))) 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106 and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106 and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106 and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106 and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106 and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106 and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106 and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106 and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106 and (sen\$3 with switch\$3)) and @ad<=20020106 and (sen\$3 with swi				1	
US-PGPUB; EPO; JPO; DERWENT; IBM TDB   US-PGPUB; and @ad=2002016) and inactivit\$3 with switch\$3) and predetermin\$2 with time)   Sisyan; and example of the switch\$3] and predetermin\$2 with time)   Sisyan; and example of the switch\$3]   Sisyan; and example of the switch\$3]   Sisyan; and example of the switch\$3]   Sisyan; and predetermin\$2 with time)   Sisyan; and predetermin\$2 with time)   Sisyan; and predetermin\$2 with time)   Sisyan; and example of the switch\$3]   Sisyan; and predetermin\$2 with time)   Sisyan; and example of the switch\$3]   Sisyan; and predetermin\$2 with time)   Sisyan; and example of the switch\$3]   Sisyan; and predetermin\$2 with time)   Sisyan; and example of the switch\$3]   Sisyan; and predetermin\$2 with time)   Sisyan; and predetermin\$2 with time)   Sisyan; and example of the switch\$3]   Sisyan; and predetermin\$2 with time)   Sisyan; and example of the switch\$3]   Sisyan; and predetermin\$2 with time)   Sisyan; and example of the switch\$3]   Sisyan; and exa	_	98		_	2003/01/14
- 0 315/126.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with SpAT; UsPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;		30	313/120:0013:	-	1
- 0 315/126.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with switch\$3)) BRWENT; IBM_TDB USPAT; US-PGPUB; ED; JPO; DERWENT; Switch\$3) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with Switch\$3)) Si5/307.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with Switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with Switch\$3)) Si5/307.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with Switch\$3)) and predetermin\$2 with time) and @ad<-20020106) and (sen\$3 with Switch\$3)) Si5/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with Switch\$3)) Si5/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with Switch\$3)) Si5/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with Switch\$3)) and predetermin\$2 with time) BRWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;					1 7 7 1 2
18M TDB   18m					
315/126.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3))   315/291.ccls.   315/291.ccls					
(detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3))   DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWE	_	_	315/126 ccls and ///microscope and		2003/01/14
Switch\$3) and predetermin\$2 with time   and @ad<=20020106) and (sen\$3 with   Switch\$3) or (detect\$3 with switch\$3))   SyPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;				1 '	
and @ad<=20020106) and (sen\$3 with switch\$3))					17.12
Switch\$3 or (detect\$3 with switch\$3))		-			
1583   315/291.ccls.   USPĀT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM TDB   USPĀT;   US-PGPUB;   EPO; JPO;   DERWENT;   EPO; JPO; JPO;   DER					
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DE		1502			2002/01/14
- 3 315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3)) 315/307.ccls.  - 1575 315/307.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) 315/307.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3)) 315/\$7.ccls.  - 53832 315/\$7.ccls. and ((((microscope and (detect\$3 or detect\$3 with switch\$3))) 315/\$7.ccls.  - 9 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3))) 315/\$7.ccls.  - 9 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3))) 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3))) 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3))) 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) 315/\$7.ccls. 315/\$7.	-	1583	315/291.6618.		
3   315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and (@ad<=20020106) and (sen\$3 with switch\$3))   IBM TDB (SPAT; switch\$3 or (detect\$3 with switch\$3))   IBM TDB (SPAT; spice)   IBM TDB (SPAT; spi				·	17:13
3   315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3))   DERWENT;   Switch\$3 or (detect\$3 with switch\$3))   DERWENT;   Switch\$3 or sens\$3 and inactivit\$3 with switch\$3)   DERWENT;   Switch\$3)   and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3))   DERWENT;		•			
3 315/291.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3)))  1575 315/307.ccls.  1 315/307.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3))) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3)))  53832 315/\$7.ccls.  9 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 with switch\$3))) and predetermin\$2 with time) perwent; switch\$3 or (detect\$3 with switch\$3)))  9 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3))) and predetermin\$2 with switch\$3)) and predetermin\$2 with switch\$3)) and predetermin\$2 with time) perwent; switch\$3) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3 with switch\$3 with switch\$3)) and predetermin\$2 with time) perwent; switch\$3) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3) bero; perwent; switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3) bero; perwent; switch\$3) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3) bero; perwent; switch\$3)					
(detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3))   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   US-PGPUB;				_	0000 (01 (1 4
Switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3))   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   US-PGPUB;   EPO; JPO;   DERWENT;   US-PGPUB;   EPO; JPO;   DERWENT;   EPO;	_	3		·	
and @ad<=20020106) and (sen\$3 with switch\$3)))  1575  1775  1775  1475  1775		ì			17:13
Switch\$3 or (detect\$3 with switch\$3))					
- 1575 315/307.ccls. USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; and @ad<=20020106) and (sen\$3 with switch\$3)) IBM_TDB USPĀT; US-PGPUB; Switch\$3 or (detect\$3 with switch\$3)) IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; USPĀT US					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					0000/00/0
1 315/307.ccls. and (((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3))  53832 315/\$7.ccls.  9 315/\$7.ccls. and (((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3))  (detect\$3 or sens\$3 and inactivit\$3 with switch\$3))  9 315/\$7.ccls. and (((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with time) and @ad<=20020106) and @ad<=20020106) and @ad<=20020106) and @ad<=20020106) and @ad<=20020106	-	1575	315/30/.ccls.		l ' '
1 315/307.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3)) IBM_TDB USPAT; Switch\$3 or (detect\$3 with switch\$3)) IBM_TDB USPAT; Switch\$3 or (detect\$3 with switch\$3)) IBM_TDB USPAT; Switch\$3 or (detect\$3 with switch\$3)) IBM_TDB USPAT; SPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB					1/:14
1 315/307.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and (@ad<=20020106) and (sen\$3 with switch\$3)) and predetect\$3 with switch\$3))  53832 315/\$7.ccls.  9 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with (detect\$3 or sens\$3 and inactivit\$3 with (detect\$3 or sens\$3 and inactivit\$3 with (switch\$3)) and predetermin\$2 with time) and (gad<=20020106) and (sen\$3 with (before and (sen\$3 with (sen\$3))) (berwent; lame) and (sen\$3 with lame) (berwent; lame) and (sen\$3 with lame) (berwent; lame) (berwe					
1 315/307.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and (@ad<=20020106) and (sen\$3 with switch\$3)) and predetect\$3 with switch\$3)) and predetect\$3 with switch\$3)) and predetect\$3 with switch\$3))  - 53832 315/\$7.ccls.  9 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) switch\$3)) and predetermin\$2 with time) and (gad<=20020106) and (sen\$3 with detect\$3 wi					
(detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3)))  53832  53832  53832  315/\$7.ccls.  9  315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)))  (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with switch\$3) berwent; lamely la					
<pre>switch\$3)) and predetermin\$2 with time) and @ad&lt;=20020106) and (sen\$3 with switch\$3 or (detect\$3 with switch\$3)))  53832  5</pre>	-	1			
and @ad<=20020106) and (sen\$3 with switch\$3)))  53832   315/\$7.ccls.     DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;					17:14
<pre>switch\$3 or (detect\$3 with switch\$3)))  315/\$7.ccls.  9 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad&lt;=20020106) and (sen\$3 with switch\$3))</pre> IBM_TDB USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT;					
- 53832 315/\$7.ccls. USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; Switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with DERWENT;				DERWENT;	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with Sen\$3					
EPO; JPO; DERWENT; IBM_TDB USPAT; (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with EPO; JPO; DERWENT;  US-PGPUB; EPO; JPO; DERWENT;	_	53832	315/\$7.ccls.	USPAT;	
- 9 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with DERWENT;					17:14
- 9 315/\$7.ccls. and ((((microscope and (detect\$3 or sens\$3 and inactivit\$3 with switch\$3)) and predetermin\$2 with time) and @ad<=20020106) and (sen\$3 with time) DERWENT;				EPO; JPO;	
9 315/\$7.ccls. and ((((microscope and USPAT; 2003/01/14 (detect\$3 or sens\$3 and inactivit\$3 with US-PGPUB; switch\$3)) and predetermin\$2 with time) EPO; JPO; and @ad<=20020106) and (sen\$3 with DERWENT;				DERWENT;	
(detect\$3 or sens\$3 and inactivit\$3 with US-PGPUB; 17:14 switch\$3)) and predetermin\$2 with time) EPO; JPO; and @ad<=20020106) and (sen\$3 with DERWENT;				IBM TDB	
(detect\$3 or sens\$3 and inactivit\$3 with US-PGPUB; 17:14 switch\$3)) and predetermin\$2 with time) EPO; JPO; and @ad<=20020106) and (sen\$3 with DERWENT;	-	9	315/\$7.ccls. and (((microscope and	USPAT;	2003/01/14
switch\$3)) and predetermin\$2 with time) EPO; JPO; and @ad<=20020106) and (sen\$3 with DERWENT;					1
and @ad<=20020106) and (sen\$3 with DERWENT;					
		]			